Wyoming Early Hearing Detection and Intervention (EHDI) Program Hearing/Vision Screening Results Form

LEGENDDNT = Did Not Test (e.g. < 9 months for immittance)

Updated: 5/28/2020

Parents/Caregiver Address: Child's Physician: Permission to send results to							Gender:* M F						CNT = Could Not Test (e.g. behavior/sensitivity to task) CNC = Could Not Condition (e.g. did not understand pure tone listening game)									
								Phone: sto physician: Yes No							MEP = Middle Ear Pressure TM COMP = Tympanic membrane compliance ECV = Ear canal volume (physical size) OAE = Otoacoustic emissions							
	ecessary, permission to rescreen child's hearing: Yes No learing Screening Results:												2. Vision Screening Results			g						
	IMMITTANCE PURE TONES										er-	S			<u> </u>	e ed	9.					
Screen Date	Ear	Otoscopic	ECV	TM COMP	MEP	Acoustic Reflex	1,000 Hz	2,000 Hz	4,000 Hz	OAE	Pass (P) / Fail (F)	Follow-up Recommendations (use I: 1-6, See below)	Follow-up to referral, Include date (use II: 1- 13, See below)	Screener's Initials	Audiologist/Reviewer s Initials	Appearance of Eyes Pass (P) / Fail (F)	Camera Pass (P) / Fail (F)	Recommendation (use III: 1-5, see below)	Hearing Results Entered into EHDI database	Vision Results Entered into EHDI database	Results Entered into MDT report	Notes
	R																					
	L																					
	R																					
	L																					
	R											4					4					
	L																					
	R											4				-	-					
-	L																1	.				
	R											4				-	-					
I. Fol	L low-up	Reco	mmen	dations	s:						II. Fol	low-up to Medic	cal and/or Aud	iologic	cal Ref	erral:			III. Vision F			
 Rescreen in 12 months unless concerns arise or a change in hearing is noted. Hearing levels appear adequate for speech/language development at this time. Rescreen in 3 months to monitor pressure equalization (PE) tubes. Hearing levels appear development at this time. Audiol development at this time. Rescreen in 4-6 weeks. Persul Refer to Primary Care Physician (PCP) and rescreen in 4-6 weeks. Refer to Ear Nose and Throat (ENT) physician and rescreen in 4-6 weeks. Refer to Audiologist and rescreen in 4-6 weeks. Per pa Refer to Audiologist and rescreen in 4-6 weeks. 							1. Physicia 2. Physicia 3. Audiolo 4. Audiolo 5. Pressur 6. Per par 7. Per par 8. Per par	ase choose one for each referral made) sician confirmed medical condition. sician did not confirm medical condition. liologist confirmed hearing loss (conductive, SNHL, mixed). liologist reports hearing within normal limits at all frequencies. ssure equalization tubes placed. parent report, medical referral has not been acted upon. Child has not been seen by doctor. parent report, audiological referral has not been acted upon. Child has not been seen by audiologist parent report, medical appointment/follow-up is scheduled, but pending. parent report, audiological appointment/follow-up is scheduled, but pending.							(Please choose one based on vision screening results) 1. Passed both eyes, rescreen in 12 months. 2. Child not screened due to corrective lenses. 3. Refer to Eye Care Professional. 4. Rescreen in months. 5. Other:							

11. Phone call to parent. No answer. Did not leave message.

13. Other_____

12. Letter sent to parent.

IV. Risk Factors for Late Onset Hearing Loss Not Present/Noted at Birth: (check all that apply)
1. Parental or caregiver concern regarding hearing, speech, language and/or developmental delay
2. Syndromes associated with progressive hearing loss such as Neurofibromatosis, Osteopetrosis, and Usher's Syndrome
3. Head trauma
4. Ototoxic medications
5. Recurrent or persistent Otitis Media with effusion for at least 3 months
6. Exposure to high noise levels
7. Other:
8. None
V. Early Intervention Status IFSP IEP Referred for Developmental Evaluation No Early Intervention at this time Initial IFSP/IEP Date (if applicable): Annual review data IFSP/IEP Date (if applicable): Other:
VI. Known Hearing Loss No Yes Hearing aid(s) BAHA(s)Cochlear Implant(s) Other VII. Notes:
VII. INDIES.